

**BID EVALUATION REPORT**

1. Name of Procuring Agency :

Sindh Agriculture University, Tandojam.

2. Tender Reference No. :

NIT No: PO/SAU-2025/289-93 Dated:- 21-04-2025

3. Tender Description/Name of work/Item :

**TENDER FOR PROCUREMENT OF EQUIPMENT AND MACHINERY FOR THE PROJECT ENTITLED ESTABLISHMENT OF A DISEASE DIAGNOSTIC AND RESEARCH CENTER FOR EXPORTABLE MANGO FRUITS AT THE DEPARTMENT OF PLANT PATHOLOGY, FACULTY OF CHOP PROTECTION SINDH AGRICULTURE**

Single Stage - Two Envelopes

4. Method of Procurement :

Hoisted on EPADS-S-250492195 Dated: 28-04-2025 and SAU web

5. Tender Published :

09Nos.

6. Total Bid documents Sold :

09 Nos.

7. Total Bids Received :

14.05.2025 at 11.30 AM

8. Technical Bid Opening date:

09 Nos.

9. No. of Bid technically qualified :

10. Bid(s) Rejected :

11. Financial Bid Opening date :

15.07.2025 at 12.00 PM

**12. Bid Evaluation Report :**

S#	Name of Firm or Bidder	Procurement of Equipment	Cost offered by the Bidder	Ranking terms of cost	Comparison with Estimated cost	Reasons for acceptance/ rejection	Remarks
1	M/s. Athar & Sons, Karachi	Vertical Laminar Flow	1,264,771	6th Highest	N/A	Accepted	P.I and University purchase committee recommended by technically and financially qualified. M/S. Athar & Sons, Karachi, M/S. Rays Technologies, Karachi and M/S. Reidius Technologies, Multan.
2		Autoclave	1,062,283	3rd Highest			
3	M/s. Reidius Technologies, Multan.	Analytical Balance	174,640	3rd Highest			
4	M/s. Athar & Sons, Karachi	Refrigerated Incubator	1,242,672	2nd Highest			
5	M/s. Reidius Technologies, Multan.	Trinocular HBO Fluor Microscope	1,248,440	4th Highest			
6	M/s. Rays Technologies, Karachi	Thermal Cycler PCR (Gradient)	1,003,000	3rd Highest			
7	M/s. Reidius Technologies, Multan.	Horizontal Electrophoresis with Power Supply	364,620	3rd Highest			
8	M/s. Athar & Sons, Karachi	Micro Centrifuge	1,326,354	4th Highest			
9		Unstirred Water Bath	111,368	2nd Highest			
10	M/s. Reidius Technologies, Multan.	Orbital Digital Shaker	233,640	2nd Highest			
11		E-Laboratory Oven Forced Convection	264,910	1st Lowest			
12		Paper Bag preparation Machine	5,022,287	1st Lowest			
13	M/s. Athar & Sons, Karachi	Automatic Blanching Machine (Hot Water Treatment Machine)	4,092,789				
Total Amount Rs.			17,411,774				
Rupees Seventeen Million Four Hundred Eleven Thousand Seven Hundred Seventy Four Only Total Amount Rs.							17,411,774

**Prof. Dr. Akeel Ahmed Memon**  
Department of Animal Breeding & Genetics  
Convener

**Dr. Muhammad Ibrahim Khaskheli**  
Principal Investigator  
Co- Opt Member

**Mr. Inam Hussain Unar**  
Scientific Officer (A.R.I Tandojam)  
Member

**Dr. Muhammad Yaqoob Koondhar**  
Assistant Professor, ITC  
Member

**Mr. Sajjad Ali Keerio**  
Procurement Officer  
Member



Shirley  
C. C. C.  
C. C. C.  
C. C. C.






Preferably made in		China	Japan	China	Biobase China		SCITEK USA	SCITEKA USA	Labtron UK	AE Lab UK	
5	<b>Trinocular HBO Fluor Microscope</b> - Trinocular Microscope with Camera & Screen, 360° rotatable - Transmitted brightfield and epi-fluorescence illumination with blue and green exciting light filters - Trinocular compensation free viewing head, easy to mount digital camera to catch ordinary and high contrast fluorescent images - 4 high quality fluorescence objectives: FLUOR 4x, 10x, 40x(S), 100x(Oil, Spring-loaded) Large stain-resistant double layer stage can hold two slides in parallel - Focusing System: Coaxial Coarse & Fine Adjustment Camera & Imaging System - Camera Type: Digital CMOS/CCD - Resolution: 20MP or higher - Frame Rate: 30fps or higher at full resolution - Connectivity: USB 3.0 / HDMI / Wi-Fi - Software Compatibility: Windows/Mac/Linux - Live Streaming: Yes (for teaching and demonstrations) - Screen / Display Monitor - Size: 10-15 inches LCD/LED - Resolution: Full HD (1920x1080) or higher - Touchscreen: Optional but preferred - Mounting: Adjustable angle Additional Features - Fluorescence & Phase Contrast: Optional for advanced studies - Polarization Kit: Optional - Image Processing Software: Must support measurement, annotation, and real-time image capture	600,000	1,275,000	1,416,000	Not Quoted	1,425,000	587,640	1,370,688	1,248,440	485,500	<u>Award to M/s. Reidius Technologies, Multan.</u> The second lowest bid was selected mainly based on the technical specifications which has not been clearly described by the first lowest bid suppliers. The detailed provided by the supplier of first lowest bid is not enough to take final decision
	<b>Model</b>	MSC-F107T	LC-X400	LED-Binocular		2063 Digital Cam	BS2035DA	OMAX M837FLR	CI-4K8MPB C	AE Submitti	
6	<b>Preferably made in</b>	Sciex China	USA	Japan		China	Bestscope China	SCITEKA USA	Bestscope China	AE Lab UK	
	<b>Thermal Cycler PCR (Gradient)</b> - Capacitive touch screen - One-click quick incubation function High heating and cooling rate - Capacity: 96x0.2ml Tube: 0.2ml tube, 8 strips, full skirt 96 wells plate, Half skirt 96 wells plate, No skirt 96 wells plate - Temperature Range: MAX. 0-105°C - Ramp Rate: 6°C/s - Uniformity: ≤±0.2 °C Accuracy: ≤±0.1°C - Other standard specifications	1,060,000	975,000	1,003,000	889,000		1,740,500	1,326,354	Not Quoted	1,298,950	<u>Award to M/s. Rays Technologies, Karachi.</u> The third lowest bid was selected mainly based on the technical specifications for all major and minor parameters, which has not been clearly described by other suppliers supplier. Further, the first and second lowest bid supplier specification are not 100 percently according to
7	<b>Model</b>	RAY-96-E	OPTINUS 96G	SEDI G Wealth	MiniAmp Plus		TCST 9622	PCR-TC2100		AD-1524R	
	<b>Preferably made in</b>	China	UK	Taiwan/USA	Thermoscientific		Bluerary Taiwan	SCITEKA USA		AE Lab UK	
7	<b>Horizontal Electrophoresis with Power Supply Features Tank</b> - Gel Size Options: 7x7 cm, 7x10 cm, 10x10 cm, 15x15 cm - Buffer Volume: 500-1000 mL - Material: High-quality, durable, UV-transparent acrylic - Lid: Safety lid with interlocking system to prevent electric shocks - Electrodes: Corrosion-resistant platinum wire for uniform current flow Sample Capacity: - Small Gel: 8-15 samples; Large Gel: 20-40 samples - Comb Thickness: 1.0 mm, 1.5 mm, and 2.0 mm (adjustable for different volumes) Power Supply Features - Voltage Range: 10V - 300V (adjustable) - Current Range: 1mA - 500mA - Output Type: Constant voltage or constant current mode - Power Output: 30W - 150W - Display: Digital LED/LCD display for voltage, current, and timer settings - Programmable Function: Ability to set multiple steps for voltage changes	680,000	1,125,000	1,947,000	450,000	Not Quoted	328,040	354,451	364,620	376,950	<u>Award to M/s. Reidius Technologies, Multan.</u> The third lowest bid was selected mainly based on the technical specification for all major and minor parameters, which has not been clearly described by other suppliers supplier. Further, the first and second lowest bid supplier specification are not 100 percently according to required specification.
	<b>Model</b>	RAY-20	Clever Scientific	& Elite 300wea	SMID110 & PSO1		ET-H02 & EP300	id One Electrophoresis	UB-02 GEP-P4	SK-Q330-Pro	
<b>Preferably made in USA, Japan, UK, Germany, Italy France or</b>		China	UK	Wealtex US	Clever Scientific		SCITEK USA	Nippon Genetics	FITEK INC. U	AE Lab UK	





8	<b>Micro Centrifuge</b> - Speed Range: 200 rpm - 15200 rpm; 10 rpm/set - Maximum RCF: 21953 x g; 10 x g/set - Maximum Capacity (Rotor): 44 x 1.5/2.0mL; 12 x 5mL - Temperature Range: -20° to 40°C, 1°C/set - AC Power: 230 V/50-60 Hz - Display: Digital LCD/LED for speed, time, and temperature settings - Other standard specifications	Not Quoted	240,000	1,705,100	2,445,000	1,413,640	1,326,354	349,280	289,500	Award to M/s. Athar & Sons, Karachi. The fourth lowest bid was selected mainly based on the technical specifications for all major and minor parameters, which has not been clearly described by other suppliers supplier.
	<b>Model</b> <b>Preferably made in</b>		DH WC F00006 Koria	Z216MK Germany	inno-MC-20R noTECH Technology	97027-860 USA	CFG-T15HR SCITEKA USA	CFC-16D FITEK INC. US	WGL-65-B UK	
9	<b>Unstirred Water Bath</b> - Capacity: 26L (three blocks, with temperature variant) - Ambient +5°C to 95°C fast heat up, reliable temperature control <input type="checkbox"/> Stability ±0.5°C <input type="checkbox"/> Simple, intuitive controls - quick and easy to set temperature <input type="checkbox"/> Drain tap on 12L, 18L and 26L baths <input type="checkbox"/> Practical front panel lock - disables front panel controls; - Digital display screen - AC: 220V - Other standard specifications	200,000	240,000	413,000	130,000	215,000	84,960	111,368	234,820	Award to M/s. Athar & Sons, Karachi. The second lowest bid was selected mainly based on the technical specifications which has not been clearly described by the first lowest bid suppliers. The detailed provided by the supplier of first lowest bid is not enough to take final decision
	<b>Model</b> <b>Preferably made in</b>	RAY-300 China	Giorgio Bromac Italy	WNB14 Germany	BK-WB8 Biobase China	LB-19TWB Labtronics USA	HHS-25 Pak Made Pakistan	SY-21.8H Biobase	WB-2R4H-15 FITEK INC. US	
10	<b>Orbital Digital Shaker</b> - Speed Range: 20 to 500 RPM (adjustable, depending on model) - Speed Accuracy: ±1 RPM - Double LCDs for independent display of time and speed - Temperature Range: Ambient +5°C to 50°C - Over speed detection and protection - Power Supply: 110V/220V	730,000	660,000	194,700	Not Quoted		1,990,660	432,195	233,640	Award to M/s. Redius Technologies, Multan. The supplier of lowest bid has been selected that also meet the technical specifications
	<b>Model</b> <b>Preferably made in</b>	RAY-S300 China	Daihan Japan	SK-O180-S China			ICB-70BS SCITEK USA	SKO180 SCITEKA USA	SHK-O0310 INFITEK, USA	
11	<b>ELaboratory Oven Forced Convection</b> - Capacity: 70 liter (minimum required, higher will be preferred) - Temperature Range: Ambient +5°C to 300°C - Temperature Accuracy: ±0.5°C - Fan Type: High-performance blower for uniform airflow - Airflow Direction: Horizontal or vertical forced convection - Display: Digital LCD/LED screen for temperature and timer settings (mounted at top of the device) - Temperature Controller: PID microprocessor-based for precision control - Timer: 1 min to 99 hours or continuous operation - Safety Features: Over-temperature alarm, auto shut-off, and thermal fuse protection - Material Interior: Stainless steel (corrosion-resistant); Exterior: Powder-coated steel for durability - Shelves: Adjustable stainless steel wire racks (2 to 5 layers) - Door Type: Double-layer with glass viewing window		975,000	820,100	270,000		9,574,520	323,397	264,910	Award to M/s. Redius Technologies, Multan. The supplier of lowest bid has been selected that also meet the technical specifications
	<b>Model</b> <b>Preferably made in</b>		Not Cleared	UF-75 Memert Germany	BJPX-HGZ75 Biobase China		FDO-65B SCITEK USA	FDO-85A SCITEK USA	DON-H170 FITEK INC. US	
12	<b>Paper Bag preparation Machine</b> - Capacity: 700pcs/min(Can be adjustable) - Type Making: double-layer bag Bag size: 30*20cm, 28*18cm (minimum requirement) - Operating workers: 2 people - Mouth to plunge into silk: automatic - Printed LOGO: automatic - Gluing: automatic - Voltage: 240-380V Dimension: 5.5*1.2*2.2m	Not Quoted				Not Quoted		5,022,287	6,989,960	Award to M/s. Athar & Sons, Karachi. The supplier of lowest bid has been selected that also meet the technical specifications
	<b>Model</b> <b>Preferably made in</b>							JW-ZD320 Zhengzhou China	WM-GDM01 FITEK INC. US	





13	<b>Automatic Blanching Machine (Hot Water Treatment Machine)</b> - Capacity: around 500kg/h - Heating method: electric heating - Temperature Range: 30°C to 90°C (Adjustable) - Control System: PLC touch screen control panel for temperature and process monitoring - Water Circulation System: Automatic water circulation and filtration to maintain uniform heat distribution - Water Exchange System: Automatic water drainage and refilling to maintain hygiene - Material: Double-layer insulated stainless steel tank for heat retention - Power: 91.65kw - Voltage: 380V, 50hz, 3phase - Dimension: 3700*1600*2200mm - Additional Features - Cooling Section: Integrated cooling or air-drying conveyor post-treatment - Multi-Stage Processing: Includes pre-washing, blanching, and <b>Model</b> Preferably made in	Not Quoted	Not Quoted	4,092,789	4,987,860	<u>Award to M/s. Athar &amp; Sons, Karachi.</u> The supplier of lowest bid has been selected that also meet the technical specifications
(A) M/s. Athar & Sons, Karachi						14,122,524
(B) M/s. Reidius Technologies, Multan						2,286,250
(C) M/s. Rays Technologies, Karachi						1,003,000
Total Amount (A+B+C)						17,411,774
Seventeen Million Four Hundred Eleven Thousand Seven Hundred Seventy Four Only						17,411,774

  
 Prof. Dr. Akeel Ahmed Memon  
 Department of Animal Breeding & Genetics  
 Convener

  
 Mr. Inam Hussain Unar  
 Scientific Officer  
 (A.R.I Tandojam) Member

  
 Dr. Muhammad Ibrahim Khaskheli  
 Principal Investigator  
 Co- Opted Member

  
 Dr. Muhammad Yaqoob Koondhar  
 Assistant Professor, ITC  
 Member

  
 Mr. Sajjad Ali Keerio  
 Procurement Officer  
 Member



## MINUTES OF BID OPENING MEETING

The meeting of the University Purchase Committee, Sindh Agriculture University, technically proposal was held on **14.05.2025 at 11.30 A.M** and financial proposal was held on **15.07.2025 at 12.00 P.M** for the opening of bids received in respect for sealed tender for procurement of equipment and machinery for the Project Entitled Establishment of a Disease Diagnostic and Research Center for Exportable Mango Fruits at the Department of Plant Pathology, Faculty of Crop Protection Sindh Agriculture University, Tandojam. The meeting was attended by all members of the purchase committee and representative of bidders (**Attendance sheet is enclosed**).

The following suppliers participated and submitted their bids accordingly.

1. M/s. SKYWAYS Enterprises, Karachi
2. M/s. Talha Enterprises, Karachi
3. M/s. Rays Technologies, Karachi
4. M/s. The World Wide Scientific, Karachi
5. M/s. B.S Scientific Private Limited, Karachi
6. M/s. The Scientific Supplies (PVT.) LTD, Karachi
7. M/s. Athar & Sons, Karachi
8. M/s. Reidius Technologies, Multan
9. M/s. Mughal Traders, Karachi


The bids were opened at 12.00 P.M in presence of above mentioned participants and rates quoted by bidders were read aloud and encircled by Chairman of the Purchase Committee. All the members of the procurement committee signed each and every page of bid. The bids did not contain any over-writing or cutting. Following is the details of bids announced:

### **COMPARATIVE STATEMENT**

Vertical Laminar Flow Cabinet					
Tender Serial No.	Name of Firm /Company	Qty	Total Cost of Bids	Ranking	Remarks
01.	M/s. SKYWAYS Enterprises, Karachi	01 No.	750,000	1 <sup>st</sup> Lowest	Unsuccessful, see Resolution 01
	M/s. Rays Technologies, Karachi		826,000	2 <sup>nd</sup> Highest	
	M/s. Mughal Traders, Karachi		1,150,000	3 <sup>rd</sup> Highest	
	M/s. Scientific Supplies (PVT.) LTD, Karachi		1,177,640	4 <sup>th</sup> Highest	
	M/s. The World Wide Scientific, Karachi		1,260,000	5 <sup>th</sup> Highest	
	M/s. Athar & Sons, Karachi		1,264,771	6 <sup>th</sup> Highest	Recommended see resolution 01
	M/s. Reidius Technologies, Multan		1,328,680	07 <sup>th</sup> Highest	Unsuccessful, see Resolution 01
	M/s. Talha Enterprises, Karachi		1,950,000	08 <sup>th</sup> Highest	
	M/s. B.S Scientific Private Limited, Karachi	Not Quoted			

#### Resolution 01:

It was resolved that, M/s. Athar & Sons, Karachi for tender serial No. 01 may be selected for the Award on 6<sup>th</sup> Highest basis, since it fulfills the required criteria as set-forth in tender document. Further, it was resolved that, M/s. SKYWAYS Enterprises, Karachi, M/s. Rays Technologies, Karachi, M/s. Mughal Traders, Karachi, M/s. Scientific Supplies (PVT.) LTD, Karachi, M/s. The World Wide Scientific, Karachi, M/s. Reidius Technologies, Multan and M/s. Talha Enterprises, Karachi were rejected by the P.I and university purchase committee as per requirement".





# COMPARATIVE STATEMENT

Autoclave					
Tender Serial No.	Name of Firm /Company	Qty	Total Cost of Bids	Ranking	Remarks
02.	M/s. Reidius Technologies, Multan	01 No.	964,650	1 <sup>st</sup> Lowest	Unsuccessful, see Resolution 02
	M/s. SKYWAYS Enterprises, Karachi		996,000	2 <sup>nd</sup> Highest	
	M/s. Athar & Sons, Karachi		1,062,283	3 <sup>rd</sup> Highest	Recommended see resolution 02
	M/s. The World Wide Scientific, Karachi		1,129,000	4 <sup>th</sup> Highest	Unsuccessful, see Resolution 02
	M/s. Mughal Traders, Karachi		1,139,750	5 <sup>th</sup> Highest	
	M/s. Rays Technologies, Karachi	1,528,100	6 <sup>th</sup> Highest		
	M/s. Talha Enterprises, Karachi	2,775,000	07 <sup>th</sup> Highest		
	M/s. Scientific Supplies (PVT.) LTD, Karachi	Not Quoted			
	M/s. B.S Scientific Private Limited, Karachi				

## Resolution 02:

It was resolved that, M/s. Athar & Sons, Karachi for tender serial No. 02 may be selected for the Award on 3<sup>rd</sup> Highest basis, since it fulfills the required criteria as set-forth in tender document. Further, it was resolved that, M/s. Reidius Technologies, Multan, M/s. SKYWAYS Enterprises, Karachi, M/s. The World Wide Scientific, Karachi, M/s. Mughal Traders, Karachi, M/s. Rays Technologies, Karachi and M/s. Talha Enterprises, Karachi, were rejected by the P.I and university purchase committee as per requirement".

# COMPARATIVE STATEMENT

Analytical Balance					
Tender Serial No.	Name of Firm /Company	Qty	Total Cost of Bids	Ranking	Remarks
03.	M/s. Athar & Sons, Karachi	01 No.	81,385	1 <sup>st</sup> Lowest	Unsuccessful, see Resolution 03
	M/s. The World Wide Scientific, Karachi		140,000	2 <sup>nd</sup> Highest	
	M/s. Reidius Technologies, Multan.		174,640	3 <sup>rd</sup> Highest	Recommended see resolution 03
	M/s. SKYWAYS Enterprises, Karachi		180,000	4 <sup>th</sup> Highest	Unsuccessful, see Resolution 03
	M/s. Mughal Traders, Karachi		298,500	5 <sup>th</sup> Highest	
	M/s. Scientific Supplies (PVT.) LTD, Karachi		309,750	6 <sup>th</sup> Highest	
	M/s. Talha Enterprises, Karachi		360,000	7 <sup>th</sup> Highest	
	M/s. Rays Technologies, Karachi		383,500	8 <sup>th</sup> Highest	
	M/s. B.S Scientific Private Limited, Karachi		Not Quoted		



**Resolution 03:**

It was resolved that, M/s. Reidius Technologies, Multan for tender serial No. 03 may be selected for the Award on 3<sup>rd</sup> Highest basis, since it fulfills the required criteria as set-forth in tender document. Further, it was resolved that, M/s. Athar & Sons, Karachi, M/s. The World Wide Scientific, Karachi, M/s. SKYWAYS Enterprises, Karachi, , M/s. Mughal Traders, Karachi, M/s. Scientific Supplies (PVT.) LTD, Karachi, M/s. Talha Enterprises, Karachi and M/s. Rays Technologies, Karachi, and were rejected by the P.I and university purchase committee as per requirement".

**COMPARATIVE STATEMENT**

Refrigerated Incubator					
Tender Serial No.	Name of Firm /Company	Qty	Total Cost of Bids	Ranking	Remarks
04.	M/s. Scientific Supplies (PVT.) LTD, Karachi	01 No.	745,760	1 <sup>st</sup> Lowest	Unsuccessful, see Resolution 04
	M/s. Athar & Sons, Karachi		1,242,672	2 <sup>nd</sup> Highest	Recommended see resolution 04
	M/s. The World Wide Scientific, Karachi		1,245,000	3 <sup>rd</sup> Highest	Unsuccessful, see Resolution 04
	M/s. Mughal Traders, Karachi		1,374,950	4 <sup>th</sup> Highest	
	M/s. SKYWAYS Enterprises, Karachi		1,750,000	5 <sup>th</sup> Highest	
	M/s. Reidius Technologies, Multan		1,767,640	6 <sup>th</sup> Highest	
	M/s. Rays Technologies, Karachi		2,826,100	7 <sup>th</sup> Highest	
	M/s. Talha Enterprises, Karachi		3,750,000	8 <sup>th</sup> Highest	
	M/s. B.S Scientific Private Limited, Karachi		Not Quoted		

**Resolution 04:**

It was resolved that, M/s. Athar & Sons, Karachi for tender serial No. 04 may be selected for the Award on 2<sup>nd</sup> Highest basis, since it fulfills the required criteria as set-forth in tender document. Further, it was resolved that, M/s. Scientific Supplies (PVT.) LTD, Karachi, M/s. The World Wide Scientific, Karachi, M/s. Mughal Traders, Karachi, M/s. SKYWAYS Enterprises, Karachi, M/s. Reidius Technologies, Multan, , M/s. Rays Technologies, Karachi and M/s. Talha Enterprises, Karachi were rejected by the P.I and university purchase committee as per requirement".

**COMPARATIVE STATEMENT**

Trinocular HBO Fluor Microscope					
Tender Serial No.	Name of Firm /Company	Qty	Total Cost of Bids	Ranking	Remarks
05.	M/s. Mughal Traders, Karachi	01 No.	485,500	1 <sup>st</sup> Lowest	Unsuccessful, see Resolution 05
	M/s. Scientific Supplies (PVT.) LTD, Karachi		587,640	2 <sup>nd</sup> Highest	
	M/s. SKYWAYS Enterprises, Karachi		600,000	3 <sup>rd</sup> Highest	
	M/s. Reidius Technologies, Multan		1248,440	4 <sup>th</sup> Highest	Recommended see resolution 05
	M/s. Talha Enterprises, Karachi		1,275,000	5 <sup>th</sup> Highest	Unsuccessful, see Resolution 05
	M/s. Athar & Sons, Karachi		1,370,688	6 <sup>th</sup> Highest	
	M/s. Rays Technologies, Karachi		1,416,000	7 <sup>th</sup> Highest	
	M/s. B.S Scientific Private Limited, Karachi		1,425,000	8 <sup>th</sup> Highest	



**Resolution 05:**

It was resolved that, M/s. Reidius Technologies, Multan for tender serial No. 05 may be selected for the Award on 4<sup>th</sup> Highest basis, since it fulfills the required criteria as set-forth in tender document. Further, it was resolved that, M/s. Mughal Traders, Karachi, M/s. Scientific Supplies (PVT.) LTD, Karachi, M/s. SKYWAYS Enterprises, Karachi, M/s. Talha Enterprises, Karachi, M/s. Athar & Sons, Karachi, M/s. Rays Technologies, Karachi and M/s. B.S Scientific Private Limited, Karachi were rejected by the P.I and university purchase committee as per requirement".

**COMPARATIVE STATEMENT**

Thermal Cycler PCR (Gradient)					
Tender Serial No.	Name of Firm /Company	Qty	Total Cost of Bids	Ranking	Remarks
06.	M/s. The World Wide Scientific, Karachi	01 No.	889,000	1 <sup>st</sup> Lowest	Unsuccessful, see Resolution 06
	M/s. Talha Enterprises, Karachi		975,000	2 <sup>nd</sup> Highest	
	M/s. Rays Technologies, Karachi		1,003,000	3 <sup>rd</sup> Highest	Recommended see resolution 06
	M/s. SKYWAYS Enterprises, Karachi		1,060,000	4 <sup>th</sup> Highest	Unsuccessful, see Resolution 06
	M/s. Mughal Traders, Karachi		1,298,950	5 <sup>th</sup> Highest	
	M/s. Athar & Sons, Karachi		1,326,354	6 <sup>th</sup> Highest	
	M/s. Scientific Supplies (PVT.) LTD, Karachi		1,740,500	7 <sup>th</sup> Highest	
	M/s. B.S Scientific Private Limited, Karachi		Not Quoted		
	M/s. Reidius Technologies, Multan				

**Resolution 06:**

It was resolved that, M/s. Rays Technologies, Karachi for tender serial No. 06 may be selected for the Award on 3<sup>rd</sup> Highest basis, since it fulfills the required criteria as set-forth in tender document. Further, it was resolved that, M/s. The World Wide Scientific, Karachi, M/s. Talha Enterprises, Karachi, M/s. SKYWAYS Enterprises, Karachi, M/s. Mughal Traders, Karachi, M/s. Athar & Sons, Karachi, M/s. Scientific Supplies (PVT.) LTD, Karachi were rejected by P.I and university purchase committee as per requirement".

**COMPARATIVE STATEMENT**

Tender Serial No.	Name of Firm /Company	Qty	Horizontal Electrophoresis with Power Supply Features Tank		Remarks
			Total Cost of Bids	Ranking	
07.	M/s. Scientific Supplies (PVT.) LTD, Karachi	01 No.	328,040	1 <sup>st</sup> Lowest	Unsuccessful, see Resolution 07
	M/s. Athar & Sons, Karachi		354,451	2 <sup>nd</sup> Highest	
	M/s. Reidius Technologies, Multan		364,620	3 <sup>rd</sup> Highest	Recommended see resolution 07
	M/s. Mughal Traders, Karachi		376,950	4 <sup>th</sup> Highest	Unsuccessful, see Resolution 07
	M/s. The World Wide Scientific, Karachi		450,000	5 <sup>th</sup> Highest	



M/s. SKYWAYS Enterprises, Karachi	680,000	6 <sup>th</sup> Highest
M/s. Talha Enterprises, Karachi	1,125,000	7 <sup>th</sup> Highest
M/s. Rays Technologies, Karachi	1,947,000	8 <sup>th</sup> Highest
M/s. B.S Scientific Private Limited, Karachi	Not Quoted	

#### Resolution 07:

It was resolved that, M/s. Reidius Technologies, Multan for tender serial No. 07 may be selected for the Award on 3<sup>rd</sup> Highest basis, since it fulfills the required criteria as set-forth in tender document. Further, it was resolved that, M/s. Scientific Supplies (PVT.) LTD, Karachi, M/s. Athar & Sons, Karachi, M/s. Mughal Traders, Karachi, M/s. The World Wide Scientific, Karachi, M/s. SKYWAYS Enterprises, Karachi, M/s. Talha Enterprises, Karachi and M/s. Rays Technologies, Karachi were rejected by P.I and university purchase committee as per requirement".

#### COMPARATIVE STATEMENT

Micro Centrifuge					
Tender Serial No.	Name of Firm /Company	Qty	Total Cost of Bids	Ranking	Remarks
08.	M/s. Talha Enterprises, Karachi	01 No.	240,000	1 <sup>st</sup> Lowest	Unsuccessful, see Resolution 08
	M/s. Mughal Traders, Karachi		289,500	2 <sup>nd</sup> Highest	
	M/s. Reidius Technologies, Multan		349,280	3 <sup>rd</sup> Highest	
	M/s. Athar & Sons, Karachi		1,326,354	4 <sup>th</sup> Highest	Recommended see resolution 08
	M/s. Scientific Supplies (PVT.) LTD, Karachi		1,413,640	5 <sup>th</sup> Highest	Unsuccessful, see Resolution 08
	M/s. Rays Technologies, Karachi		1,705,100	6 <sup>th</sup> Highest	
	M/s. The World Wide Scientific, Karachi		2,445,000	7 <sup>th</sup> Highest	
	M/s. B.S Scientific Private Limited, Karachi	Not Quoted			
	M/s. SKYWAYS Enterprises, Karachi				

#### Resolution 08:

It was resolved that, M/s. Athar & Sons, Karachi for tender serial No. 08 may be selected for the Award on 4<sup>th</sup> Highest basis, since it fulfills the required criteria as set-forth in tender document. Further, it was resolved that, M/s. Talha Enterprises, Karachi, M/s. Mughal Traders, Karachi, M/s. Reidius Technologies, Multan, M/s. Scientific Supplies (PVT.) LTD, Karachi, M/s. Rays Technologies, Karachi and M/s. The World Wide Scientific, Karachi were rejected by P.I and university purchase committee as per requirement".

#### COMPARATIVE STATEMENT

Unstirred Water Bath					
Tender Serial No.	Name of Firm /Company	Qty	Total Cost of Bids	Ranking	Remarks
09.	M/s. Scientific Supplies (PVT.) LTD, Karachi	01 No.	84,960	1 <sup>st</sup> Lowest	Unsuccessful, see Resolution 09
	M/s. Athar & Sons, Karachi		111,368	2 <sup>nd</sup> Highest	Recommended see resolution 09



M/s. The World Wide Scientific, Karachi	130,000	3 <sup>rd</sup> Highest	Unsuccessful, see Resolution 09
M/s. SKYWAYS Enterprises, Karachi	200,000	4 <sup>th</sup> Highest	
M/s. B.S Scientific Private Limited, Karachi	215,000	5 <sup>th</sup> Highest	
M/s. Reidius Technologies, Multan	234,820	6 <sup>th</sup> Highest	
M/s. Talha Enterprises, Karachi	240,000	7 <sup>th</sup> Highest	
M/s. Rays Technologies, Karachi	413,000	8 <sup>th</sup> Highest	
M/s. Mughal Traders, Karachi	Not Quoted		

**Resolution 09:**

It was resolved that, M/s. Athar & Sons, Karachi for tender serial No. 09 may be selected for the Award on 2<sup>nd</sup> Highest basis, since it fulfills the required criteria as set-forth in tender document. Further, it was resolved that, M/s. Scientific Supplies (PVT.) LTD, Karachi, M/s. The World Wide Scientific, Karachi, M/s. SKYWAYS Enterprises, Karachi, M/s. B.S Scientific Private Limited, Karachi, M/s. Reidius Technologies, Multan, M/s. Talha Enterprises, Karachi and M/s. Rays Technologies, Karachi were rejected by the P.I and university purchase committee as per requirement".

**COMPARATIVE STATEMENT**

Orbital Digital Shaker					
Tender Serial No.	Name of Firm /Company	Qty	Total Cost of Bids	Ranking	Remarks
10.	M/s. Rays Technologies, Karachi	01 No.	194,700	1 <sup>st</sup> Lowest	Unsuccessful, see Resolution 10
	M/s. Reidius Technologies, Multan		233,640	2 <sup>nd</sup> Highest	Recommended see resolution 10
	M/s. Athar & Sons, Karachi		432,195	3 <sup>rd</sup> Highest	Unsuccessful, see Resolution 10
	M/s. Talha Enterprises, Karachi		660,000	4 <sup>th</sup> Highest	
	M/s. SKYWAYS Enterprises, Karachi		730,000	5 <sup>th</sup> Highest	
	M/s. Scientific Supplies (PVT.) LTD, Karachi		1,990,660	6 <sup>th</sup> Highest	
	M/s. The World Wide Scientific, Karachi	Not Quoted			
	M/s. B.S Scientific Private Limited, Karachi				
	M/s. Mughal Traders, Karachi				

**Resolution 10:**

It was resolved that, M/s. Reidius Technologies, Multan for tender serial No. 10 may be selected for the Award on 2<sup>nd</sup> Highest basis, since it fulfills the required criteria as set-forth in tender document. Further, it was resolved that, M/s. Rays Technologies, Karachi, M/s. Athar & Sons, Karachi, Multan, M/s. Talha Enterprises, Karachi M/s. SKYWAYS Enterprises, Karachi and M/s. Scientific Supplies (PVT.) LTD, Karachi were rejected by the P.I and university purchase committee as per requirement".



# COMPARATIVE STATEMENT

## E-Laboratory Oven Forced Convection

E-Laboratory Oven Forced Convection					
Tender Serial No.	Name of Firm /Company	Qty	Total Cost of Bids	Ranking	Remarks
11.	M/s. Reidius Technologies, Multan	01 No.	264,910	1 <sup>st</sup> Lowest	Recommended see resolution 11
	M/s. The World Wide Scientific, Karachi		270,000	2 <sup>nd</sup> Highest	Unsuccessful, see Resolution 11
	M/s. Athar & Sons, Karachi		323,397	3 <sup>rd</sup> Highest	
	M/s. Rays Technologies, Karachi		820,100	4 <sup>th</sup> Highest	
	M/s. Talha Enterprises, Karachi		975,000	5 <sup>th</sup> Highest	
	M/s. Scientific Supplies (PVT.) LTD, Karachi		9,574,520	6 <sup>th</sup> Highest	
	M/s. B.S Scientific Private Limited, Karachi	Not Quoted			
	M/s. Mughal Traders, Karachi				
	M/s. SKYWAYS Enterprises, Karachi				

### Resolution 11:

"It was resolved that, M/s. Reidius Technology, Multan for tender serial No. 11 may be selected for the Award on 1<sup>st</sup> lowest basis, since it fulfills the required criteria as set-forth in tender document. Further, it was resolved that, M/s. The World Wide Scientific, Karachi, M/s. Athar & Sons, Karachi, M/s. Rays Technologies, Karachi, M/s. Talha Enterprises, Karachi, and M/s. Scientific Supplies (PVT.) LTD, Karachi were rejected by the P.I and university purchase committee due to high quoted rates"

# COMPARATIVE STATEMENT

## Paper Bag preparation Machine

Tender Serial No.	Name of Firm /Company	Qty	Total Cost of Bids	Ranking	Remarks
12.	M/s. Athar & Sons, Karachi	01 No.	5,022,287	1 <sup>st</sup> Lowest	Recommended see resolution 12
	M/s. Mughal Traders, Karachi		6,989,960	2 <sup>nd</sup> Highest	Unsuccessful, see Resolution 12
	M/s. Rays Technologies, Karachi		Not Quoted		
	M/s. Talha Enterprises, Karachi				
	M/s. Scientific Supplies (PVT.) LTD, Karachi				
	M/s. B.S Scientific Private Limited, Karachi				
	M/s. SKYWAYS Enterprises, Karachi				
	M/s. The World Wide Scientific, Karachi				
	M/s. Reidius Technologies, Multan				



**Resolution 12:**

"It was resolved that, M/s. Athar & Sons, Karachi for tender serial No. 12 may be selected for the Award on 1<sup>st</sup> lowest basis, since it fulfills the required criteria as set-forth in tender document. Further, it was resolved that, M/s. Mughal Traders, Karachi were rejected by the P.I and university purchase committee due to high quoted rates"

**COMPARATIVE STATEMENT**

Automatic Blanching Machine (Hot Water Treatment Machine)					
Tender Serial No.	Name of Firm /Company	Qty	Total Cost of Bids	Ranking	Remarks
13.	M/s. Athar & Sons, Karachi	01 No.	4,092,789	1 <sup>st</sup> Lowest	Recommended see resolution 13
	M/s. Reidius Technologies, Multan		4,987,860	2 <sup>nd</sup> Highest	Unsuccessful, see Resolution 13
	M/s. Rays Technologies, Karachi		Not Quoted		
	M/s. Talha Enterprises, Karachi				
	M/s. Scientific Supplies (PVT.) LTD, Karachi				
	M/s. B.S Scientific Private Limited, Karachi				
	M/s. SKYWAYS Enterprises, Karachi				
	M/s. The World Wide Scientific, Karachi				
	M/s. Mughal Traders, Karachi				

**Resolution 13:**

"It was resolved that, M/s. Athar & Sons, Karachi for tender serial No. 13 may be selected for the Award on 1<sup>st</sup> lowest basis, since it fulfills the required criteria as set-forth in tender document. Further, it was resolved that, M/s. Reidius Technologies, Multan were rejected by the P.I and university purchase committee due to high quoted rates"


S#	Name of Firm or Bidder	Procurement of Equipment	Qty	Amount
1	M/s. Athar & Sons, Karachi	Vertical Laminar Flow Cabinet	01	1,264,771
2		Autoclave	01	1,062,283
3	M/s. Reidius Technologies, Multan.	Analytical Balance	01	174,640
4	M/s. Athar & Sons, Karachi	Refrigerated Incubator	01	1,242,672
5	M/s. Reidius Technologies, Multan.	Trinocular HBO Fluor Microscope	01	1,248,440
6	M/s. Rays Technologies, Karachi	Thermal Cycler PCR (Gradient)	01	1,003,000
7	M/s. Reidius Technologies, Multan.	Horizontal Electrophoresis with Power Supply Features Tank	01	364,620
8	M/s. Athar & Sons, Karachi	Micro Centrifuge	01	1,326,354
9		Unstirred Water Bath	01	111,368
10	M/s. Reidius Technologies, Multan.	Orbital Digital Shaker	01	233,640
11		E-Laboratory Oven Forced Convection	01	264,910
12	M/s. Athar & Sons, Karachi	Paper Bag preparation Machine	01	5,022,287
13		Automatic Blanching Machine (Hot Water Treatment Machine)	01	4,092,789
Seventeen Million Four Hundred Eleven Thousand Seven Hundred Seventy Four Only Total Amount				Rs. 17,411,774

**Resolution 14:**

"Further it is resolved and recommended that M/s. Reidius Technology, M/s. Athar & Sons, Karachi and M/s. Rays Technologies, Karachi may be issued the purchase orders as tabulated above



The received call deposits/Earnest money from different firms may be refunded except the lowest / highest bidders".  
The meeting ended with the vote of thanks from and to the chair.



Prof. Dr. Akeel Ahmed Memon  
Department of Animal Breeding & Genetics  
Convener



Dr. Muhammad Ibrahim Khaskheli  
Principal Investigator  
Co-Opt Member



Dr. Muhammad Yaqoob Koondhar  
Assistant Professor, ITC  
Member



Mr. Inam Hussain Unar  
Scientific Officer  
(A.R.I Tandojam) Member



Mr. Sajjad Ali Keerio  
Procurement Officer  
Member



MEETING OF THE UNIVERSITY PURCHASE COMMITTEE FOR THE OPENING OF SEALED FINANCIAL PROPOSAL TENDER FOR PROCUREMENT OF EQUIPMENT AND MACHINERY FOR THE PROJECT ENTITLED ESTABLISHMENT OF A DISEASE DIAGNOSTIC AND RESEARCH CENTER FOR EXPORTABLE MANGO FRUITS AT THE DEPARTMENT OF PLANT PATHOLOGY, FACULTY OF CROP PROTECTION SINDH AGRICULTURE UNIVERSITY, TANDOJAM, HELD ON 15.07.2025 AT 12.00 P.M IN THE OFFICE OF CONVENER, CHAIRMAN DEPARTMENT OF ANIMAL BREEDING & GENETICS, SINDH, AGRICULTURE UNIVERSITY, TANDOJAM.

ATTENDANCE SHEET

NAME AND DESIGNATION

SIGNATURE

1. Prof. Dr. Akeel Ahmed Memon  
Department of Animal Breeding & Genetics

Convener



2. Dr. Muhammad Ibrahim Khaskheli  
Principal Investigator ,

Co-opted Member



3. Mr. Inam Hussain Unar  
Scientific Officer  
(A.R.I Tandojam)

Member





4. Dr. Muhammad Yaqoob Koondhar  
Assistant Professor, ITC

Member



5. Mr. Sajjad Ali Keerio  
Procurement Officer

Member





Following firms are participated in the tenders.

Sr No.	Name of the Firm	Mobile Number	Signature
01.	M/s. SKYWAYS Enterprises, Karachi	+92-333-3545816	
02.	M/s. Talha Enterprises, Karachi	+92-21-32411728	
03.	M/s. Rays Technologies, Karachi	+92-323-5451477	
04.	M/s. The World Wide Scientific, Karachi	+92-301-3525394	
05.	M/s. B.S Scientific Private Limited, Karachi	+92-320-2600592	
06.	M/s. The Scientific Supplies (PVT.) LTD, Karachi	+92-332-3895228	
07.	M/s. Athar & Sons, Karachi	+92-301-6674801	
08.	M/s. Reidius Technologies, Multan	+92-302-7419240	
09.	M/s. Mughal Traders	021-36344485	



MEETING OF THE UNIVERSITY PURCHASE COMMITTEE FOR THE OPENING OF SEALED TECHNICAL PROPOSAL TENDER FOR PROCUREMENT OF EQUIPMENT AND MACHINERY FOR THE PROJECT ENTITLED ESTABLISHMENT OF A DISEASE DIAGNOSTIC AND RESEARCH CENTER FOR EXPORTABLE MANGO FRUITS AT THE DEPARTMENT OF PLANT PATHOLOGY, FACULTY OF CROP PROTECTION SINDH AGRICULTURE UNIVERSITY, TANDOJAM, HELD ON 14.05.2025 AT 11.30 A.M IN THE OFFICE OF THE PROCUREMENT OFFICE, SINDH AGRICULTURE UNIVERSITY, TANDOJAM.

**ATTENDANCE SHEET**

**NAME AND DESIGNATION**

**SIGNATURE**

1. Prof. Dr. Akeel Ahmed Memon  
Department of Animal Breeding & Genetics

Convener



2. Dr. Muhammad Ibrahim Khaskheli  
Principal Investigator ,

Co-opted Member



3. Mr. Inam Hussain Unar  
Scientific Officer  
(A.R.I Tandojam)

Member



4. Dr. Muhammad Yaqoob Koondhar  
Assistant Professor, ITC

Member



5. Mr. Fawaz Ashraf  
Procurement Officer

Member





Following firms are participated in the tenders.

Sr No.	Name of the Firm	Mobile Number	Signature
01.	✓ M/s. SKYWAYS Enterprises, Karachi	+92-333-3545816	on line
02.	✓ M/s. Talha Enterprises, Karachi	+92-21-32411728	on line
03.	M/s. Rays Technologies, Karachi	+92-323-5451477	on line
04.	✓ M/s. The World Wide Scientific, Karachi	+92-301-3525394	hai
05.	M/s. B.S Scientific Private Limited, Karachi	+92-320-2600592	Ehab
06.	✓ M/s. The Scientific Supplies (PVT.) LTD, Karachi	+92-332-3895228	AS
07.	✓ M/s. Athar & Sons, Karachi	+92-301-6674801	MTH
08.	✓ M/s. Reidius Technologies, Multan	+92-302-7419240	on line

09 M/s Mughal Traders

021-36344485

on line